

Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 4 / 6 / 11

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adams	804	84.1	0.7	12.9	0.0	0.1	2.1	0.0
Allen	11,591	40.1	25.6	19.5	0.0	6.3	8.4	0.0
Bartholome	2,031	71.5	1.2	23.3	0.0	0.4	3.5	0.0
Benton	230	76.5	1.3	19.1	0.0	0.0	3.0	0.0
Blackford	418	93.3	0.5	3.1	0.2	0.0	2.9	0.0
Boone	772	91.1	0.9	5.3	0.0	0.4	2.3	0.0
Brown	308	91.9	0.6	5.2	0.3	0.0	1.9	0.0
Carroll	387	82.4	0.3	14.5	0.0	0.0	2.8	0.0
Cass	1,658	57.2	0.8	39.0	0.0	1.0	1.9	0.0
Clark	2,905	61.5	9.6	21.4	0.1	0.9	6.6	0.0
Clay	1,027	92.5	0.2	3.6	0.0	0.5	3.2	0.0
Clinton	1,324	53.1	0.5	44.6	0.0	0.2	1.6	0.0
Crawford	275	96.0	0.4	2.5	0.0	0.0	1.1	0.0
Daviess	805	70.2	0.6	25.5	0.0	0.2	3.5	0.0
Dearborn	1,191	95.8	0.9	0.8	0.1	0.2	2.3	0.0
Decatur	827	95.4	0.2	3.7	0.1	0.0	0.5	0.0
DeKalb	1,113	89.3	0.6	6.8	0.2	0.5	2.5	0.0
Delaware	3,107	75.2	12.2	3.9	0.1	0.5	8.2	0.0
Dubois	1,055	64.8	0.9	30.9	0.1	0.7	2.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 2
Run Date: 4 / 6 / 11

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Elkhart	8,266	42.8	10.0	42.0	0.0	0.5	4.7	0.0
Fayette	852	95.4	0.7	1.8	0.0	0.1	2.0	0.0
Floyd	1,700	64.8	15.1	9.8	0.0	3.8	6.5	0.0
Fountain	460	96.1	0.2	2.4	0.0	0.4	0.9	0.0
Franklin	383	98.7	0.0	0.5	0.0	0.0	0.8	0.0
Fulton	675	86.1	0.9	10.8	0.0	0.1	2.1	0.0
Gibson	753	82.5	4.4	5.0	0.0	0.1	8.0	0.0
Grant	2,508	67.9	10.6	12.3	0.0	0.3	8.9	0.0
Greene	710	95.1	0.4	3.8	0.0	0.3	0.4	0.0
Hamilton	2,849	74.1	8.2	13.0	0.2	1.9	2.6	0.0
Hancock	1,007	87.4	1.9	5.0	0.1	0.2	5.5	0.0
Harrison	968	90.9	0.2	5.9	0.1	0.8	2.1	0.0
Hendricks	1,557	85.7	5.2	4.7	0.1	2.8	1.6	0.0
Henry	1,365	89.7	1.1	4.2	0.1	0.4	4.4	0.0
Howard	3,084	74.6	10.7	6.4	0.0	0.3	8.0	0.0
Huntington	962	91.0	0.0	4.8	0.0	0.2	4.1	0.0
Jackson	1,423	75.3	1.5	22.6	0.0	0.4	0.1	0.0
Jasper	945	82.0	1.2	16.2	0.0	0.0	0.6	0.0
Jay	565	84.8	0.2	12.4	0.0	0.0	2.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 3
Run Date: 4 / 6 / 11

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Jefferson	915	82.1	0.9	10.7	0.0	0.4	5.9	0.0
Jennings	1,228	92.8	1.9	4.5	0.2	0.2	0.6	0.0
Johnson	2,704	80.1	1.6	10.1	0.0	4.0	4.1	0.0
Knox	952	89.3	0.9	5.3	0.1	0.0	4.4	0.0
Kosciusko	1,724	66.1	0.9	30.3	0.1	0.3	2.3	0.0
LaGrange	654	80.0	0.5	15.4	0.0	1.1	3.1	0.0
Lake	17,010	24.8	42.1	29.7	0.0	0.3	3.0	0.0
LaPorte	3,422	59.9	19.0	15.3	0.0	0.5	5.4	0.0
Lawrence	1,182	95.3	0.6	2.1	0.0	1.0	0.9	0.0
Madison	3,304	68.9	11.5	12.9	0.1	0.1	6.4	0.0
Marion	33,332	27.2	38.2	27.5	0.1	3.1	3.8	0.0
Marshall	1,424	65.9	1.0	29.6	0.0	0.0	3.6	0.0
Martin	262	95.8	0.8	1.1	0.0	0.0	2.3	0.0
Miami	978	82.4	1.8	6.4	0.5	0.5	8.3	0.0
Monroe	2,638	73.0	5.6	7.3	0.0	4.3	9.7	0.0
Montgomery	1,106	80.4	1.5	16.3	0.1	0.2	1.5	0.0
Morgan	1,583	94.1	0.6	2.1	0.0	0.1	3.2	0.0
Newton	276	85.1	0.4	12.7	0.0	0.4	1.4	0.0
Noble	1,073	64.4	0.3	33.1	0.0	0.7	1.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 4
Run Date: 4 / 6 / 11

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Ohio	58	*	*	*	*	*	*	*
Orange	695	93.2	2.3	1.9	0.3	0.1	2.2	0.0
Owen	502	95.6	0.0	2.8	0.0	0.2	1.4	0.0
Parke	320	92.2	0.0	5.9	0.0	0.6	1.3	0.0
Perry	459	95.0	0.2	1.3	0.0	0.2	3.3	0.0
Pike	277	94.9	0.0	1.8	0.0	0.0	3.2	0.0
Porter	2,948	71.9	7.3	16.7	0.1	0.7	3.4	0.0
Posey	383	89.6	2.6	2.6	0.0	0.0	5.2	0.0
Pulaski	381	92.4	0.5	4.7	0.0	0.3	2.1	0.0
Putnam	989	93.2	1.3	2.3	0.0	0.2	2.9	0.0
Randolph	760	82.6	1.1	11.2	0.1	0.0	5.0	0.0
Ripley	837	93.5	0.0	4.5	0.1	0.1	1.7	0.0
Rush	382	91.1	0.3	4.2	0.0	0.5	3.9	0.0
Scott	966	92.9	0.4	4.3	0.0	0.1	2.3	0.0
Shelby	1,192	83.1	1.0	14.3	0.0	0.1	1.4	0.1
Spencer	381	85.3	0.5	10.8	0.0	0.0	3.4	0.0
St Joseph	7,493	40.7	27.6	22.6	0.1	1.3	7.8	0.0
Starke	862	90.7	0.1	7.4	0.0	0.0	1.7	0.0
Steuben	1,314	87.1	0.4	9.1	0.0	1.1	2.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 5
Run Date: 4 / 6 / 11

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Sullivan	536	93.7	0.4	4.5	0.0	0.0	1.5	0.0
Switzerlan	189	95.8	0.5	2.1	0.0	0.0	1.6	0.0
Tippecanoe	5,121	53.7	10.0	26.3	0.3	5.2	4.5	0.0
Tipton	278	91.4	0.4	5.8	0.4	0.0	2.2	0.0
Union	207	95.2	0.0	1.4	0.0	0.0	3.4	0.0
Vanderburg	4,198	64.9	21.1	6.5	0.0	0.9	6.6	0.0
Vermillion	414	97.8	0.0	1.2	0.0	0.2	0.7	0.0
Vigo	2,694	76.9	8.5	4.4	0.1	0.6	9.5	0.0
Wabash	977	83.9	0.7	8.4	0.0	0.5	6.4	0.0
Warren	259	97.7	0.0	2.3	0.0	0.0	0.0	0.0
Warrick	1,031	90.5	1.5	3.7	0.1	0.0	4.3	0.0
Washington	782	93.2	0.1	3.6	0.1	0.3	2.7	0.0
Wayne	2,327	70.7	5.4	10.9	0.2	0.3	12.6	0.0
Wells	592	89.0	1.7	6.1	0.0	0.2	3.0	0.0
White	916	74.6	0.1	23.8	0.0	0.1	1.4	0.0
Whitley	828	92.8	0.7	4.7	0.0	0.6	1.2	0.0
Indiana	181,175	57.6	17.2	18.8	0.1	1.6	4.6	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 6
Run Date: 4 / 6 / 11

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adams	804	35.1	19.9	45.0
Allen	11,591	31.4	22.1	46.4
Bartholome	2,031	38.4	21.5	40.2
Benton	230	20.9	21.3	57.8
Blackford	418	30.9	21.3	47.8
Boone	772	33.3	24.4	42.4
Brown	308	33.4	17.2	49.4
Carroll	387	31.0	18.6	50.4
Cass	1,658	33.1	16.6	50.4
Clark	2,905	35.7	21.1	43.3
Clay	1,027	31.1	19.9	49.1
Clinton	1,324	33.2	19.0	47.8
Crawford	275	35.6	19.6	44.7
Daviess	805	26.3	24.3	49.3
Dearborn	1,191	35.9	20.9	43.2
Decatur	827	34.0	19.1	46.9
DeKalb	1,113	31.1	25.1	43.8
Delaware	3,107	39.0	19.0	42.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 7
Run Date: 4 / 6 / 11

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Dubois	1,055	35.8	20.7	43.5
Elkhart	8,266	31.8	20.9	47.3
Fayette	852	36.7	19.1	44.1
Floyd	1,700	38.3	19.6	42.1
Fountain	460	32.6	23.5	43.9
Franklin	383	37.3	17.5	45.2
Fulton	675	37.3	18.1	44.6
Gibson	753	40.1	18.3	41.6
Grant	2,508	35.1	18.6	46.3
Greene	710	37.0	18.7	44.2
Hamilton	2,849	36.5	20.1	43.4
Hancock	1,007	41.1	17.4	41.5
Harrison	968	34.7	16.3	49.0
Hendricks	1,557	37.5	23.1	39.4
Henry	1,365	34.3	19.4	46.3
Howard	3,084	35.9	18.6	45.5
Huntington	962	36.9	19.2	43.9
Jackson	1,423	32.9	21.2	46.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 4 / 6 / 11

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Jasper	945	35.7	17.4	47.0
Jay	565	37.2	21.9	40.9
Jefferson	915	40.4	17.0	42.5
Jennings	1,228	29.9	20.9	49.2
Johnson	2,704	38.8	19.0	42.2
Knox	952	31.2	24.5	44.3
Kosciusko	1,724	31.6	23.0	45.4
LaGrange	654	32.7	17.4	49.8
Lake	17,010	37.0	18.6	44.3
LaPorte	3,422	38.5	17.9	43.5
Lawrence	1,182	39.4	19.5	41.1
Madison	3,304	41.2	20.1	38.7
Marion	33,332	32.1	25.7	42.2
Marshall	1,424	35.5	20.4	44.1
Martin	262	33.6	24.0	42.4
Miami	978	35.0	17.9	47.1
Monroe	2,638	37.9	17.2	44.8
Montgomery	1,106	33.5	21.4	45.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 9
Run Date: 4 / 6 / 11

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Morgan	1,583	41.3	17.6	41.1
Newton	276	36.2	20.3	43.5
Noble	1,073	29.7	26.0	44.3
Ohio	58	*	*	*
Orange	695	34.7	16.3	49.1
Owen	502	31.7	21.3	47.0
Parke	320	35.9	22.5	41.6
Perry	459	39.9	17.4	42.7
Pike	277	44.4	17.3	38.3
Porter	2,948	38.2	18.5	43.3
Posey	383	44.9	17.0	38.1
Pulaski	381	37.0	16.0	47.0
Putnam	989	36.6	19.6	43.8
Randolph	760	40.8	20.5	38.7
Ripley	837	35.7	20.4	43.8
Rush	382	33.5	22.5	44.0
Scott	966	32.2	20.5	47.3
Shelby	1,192	40.4	16.9	42.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 10
Run Date: 4 / 6 / 11

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Spencer	381	36.0	19.4	44.6
St Joseph	7,493	32.4	22.4	45.1
Starke	862	34.2	16.4	49.4
Steuben	1,314	29.8	17.8	52.4
Sullivan	536	42.2	17.0	40.9
Switzerlan	189	33.9	21.7	44.4
Tippecanoe	5,121	35.0	20.3	44.8
Tipton	278	32.4	15.1	52.5
Union	207	29.0	20.3	50.7
Vanderburg	4,198	43.3	18.4	38.4
Vermillion	414	35.5	20.5	44.0
Vigo	2,694	41.1	20.4	38.5
Wabash	977	29.9	19.7	50.5
Warren	259	28.2	22.0	49.8
Warrick	1,031	41.3	17.0	41.7
Washington	782	34.0	19.3	46.7
Wayne	2,327	35.8	21.0	43.2
Wells	592	33.1	22.3	44.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 11
Run Date: 4 / 6 / 11

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
White	916	34.7	20.6	44.7
Whitley	828	34.9	19.6	45.5
Indiana	181,175	35.0	21.0	44.1
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 12
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	196	12.8 (68)	5.1 (18)	783	7.9 (82)	3.4 (54)	10.0 (10)	353	15.3 (22)	10.2 (3)		564	23.2 (88)
Allen	2,651	9.6 (48)	5.6 (25)	11,391	6.6 (60)	3.0 (43)	12.1 (46)	5,308	16.2 (31)	12.9 (19)		8,316	18.6 (83)
Bartholome	516	8.1 (29)	6.8 (42)	1,917	5.0 (26)	2.8 (35)	11.1 (25)	805	17.0 (45)	15.7 (54)		1,342	10.6 (32)
Benton	34	* *	* *	228	3.5 (3)	0.4 (1)	11.8 (37)	130	17.7 (57)	16.9 (70)		182	14.3 (61)
Blackford	84	* *	* *	414	6.8 (66)	3.9 (68)	9.9 (9)	199	15.6 (24)	11.1 (9)		319	12.5 (43)
Boone	177	11.3 (66)	5.6 (25)	759	7.0 (73)	5.9 (89)	11.9 (42)	326	12.6 (2)	14.7 (40)		543	10.9 (33)
Brown	60	* *	* *	300	4.7 (21)	2.3 (22)	10.0 (10)	147	15.0 (18)	15.0 (43)		216	1.4 (1)
Carroll	73	* *	* *	379	5.8 (40)	2.9 (38)	12.1 (46)	193	19.7 (81)	16.1 (57)		289	17.0 (76)
Cass	336	8.3 (31)	7.4 (53)	1,598	4.3 (10)	3.6 (60)	13.7 (74)	824	17.0 (45)	16.9 (70)		1,216	12.2 (42)
Clark	655	9.3 (43)	5.2 (23)	2,852	7.6 (79)	1.6 (11)	13.7 (74)	1,233	17.4 (52)	16.4 (64)		2,003	16.7 (75)
Clay	219	6.8 (20)	7.3 (49)	1,019	6.8 (66)	1.3 (6)	14.2 (79)	496	20.6 (83)	16.5 (66)		722	14.4 (63)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 13
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators (3,4)											
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Clinton	277	7.9 (28)	9.0 (65)	1,289	6.1 (49)	1.1 (3)	15.7 (90)	616	17.9 (61)	18.3 (80)	964 13.2 (51)
Crawford	56	* *	* *	271	8.5 (87)	2.6 (29)	11.8 (37)	119	17.6 (55)	15.1 (44)	199 13.6 (55)
Daviess	167	13.2 (70)	4.8 (15)	784	6.9 (70)	3.8 (66)	15.7 (90)	389	17.7 (57)	21.9 (90)	568 25.2 (89)
Dearborn	267	5.6 (6)	10.9 (71)	1,174	4.5 (16)	2.9 (38)	11.4 (35)	513	16.6 (38)	13.5 (26)	870 10.1 (27)
Decatur	182	8.8 (39)	6.6 (41)	805	5.3 (30)	1.4 (7)	13.3 (67)	384	21.6 (86)	18.5 (82)	605 5.0 (4)
DeKalb	292	6.8 (20)	6.2 (35)	1,090	6.7 (63)	2.5 (26)	14.3 (80)	484	23.1 (89)	16.3 (61)	721 12.8 (47)
Delaware	810	10.2 (59)	5.1 (18)	3,023	5.9 (43)	8.0 (91)	11.3 (29)	1,256	17.1 (47)	15.1 (44)	2,086 15.9 (69)
Dubois	230	5.7 (8)	7.4 (53)	1,025	5.1 (28)	3.6 (60)	11.3 (29)	451	14.2 (13)	16.6 (68)	766 9.1 (21)
Elkhart	1,797	8.5 (35)	7.6 (55)	8,113	4.9 (24)	1.9 (16)	12.8 (61)	3,860	17.7 (57)	16.9 (70)	6,035 6.2 (9)
Fayette	217	6.9 (23)	9.2 (66)	834	6.8 (66)	1.9 (16)	11.2 (27)	370	13.2 (4)	14.1 (35)	559 16.1 (70)
Floyd	397	10.3 (60)	5.0 (16)	1,664	9.2 (90)	1.8 (14)	15.6 (88)	717	17.9 (61)	19.8 (86)	1,141 8.9 (19)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 14
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fountain	104	8.7 (37)	9.6 (67)	452	4.4 (13)	1.8 (14)	10.6 (20)	200	16.5 (36)	16.5 (66)		327	11.0 (35)
Franklin	97	* *	* *	374	5.9 (43)	2.7 (32)	13.4 (69)	169	18.3 (66)	19.5 (85)		253	17.4 (78)
Fulton	158	9.5 (46)	6.3 (36)	647	3.2 (1)	5.3 (85)	13.1 (64)	299	15.1 (19)	18.4 (81)		455	13.8 (56)
Gibson	172	5.8 (9)	2.9 (4)	734	7.1 (74)	3.3 (52)	12.1 (46)	314	15.6 (24)	17.2 (74)		505	15.8 (68)
Grant	563	8.3 (31)	5.0 (16)	2,442	6.2 (53)	4.1 (71)	12.7 (60)	1,129	15.2 (20)	14.4 (38)		1,801	22.7 (87)
Greene	159	6.9 (23)	6.9 (45)	691	6.7 (63)	2.2 (21)	13.9 (76)	312	20.2 (82)	17.3 (75)		524	9.4 (24)
Hamilton	643	9.3 (43)	7.0 (46)	2,780	5.2 (29)	4.1 (71)	8.6 (2)	1,223	13.8 (7)	9.3 (2)		2,002	13.9 (58)
Hancock	264	4.5 (2)	7.6 (55)	987	8.4 (86)	1.9 (16)	12.8 (61)	413	18.2 (65)	14.0 (32)		682	9.2 (23)
Harrison	207	9.7 (52)	6.8 (42)	945	6.5 (59)	2.9 (38)	11.2 (27)	461	19.3 (77)	15.6 (53)		686	11.5 (40)
Hendricks	454	9.9 (56)	7.3 (49)	1,526	5.8 (40)	3.5 (57)	10.2 (14)	610	15.2 (20)	13.0 (21)		968	17.9 (80)
Henry	314	8.3 (31)	8.9 (64)	1,347	5.5 (34)	3.6 (60)	9.7 (6)	619	18.1 (63)	12.9 (19)		973	12.9 (49)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 15
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Howard	711	8.3 (31)	6.5 (39)	2,987	7.5 (78)	3.2 (48)	13.2 (65)	1,365	18.1 (63)	13.8 (30)		2,195	27.0 (90)
Huntington	218	3.7 (1)	4.6 (13)	952	4.9 (24)	3.3 (52)	11.3 (29)	412	16.0 (29)	14.3 (37)		713	10.4 (29)
Jackson	314	6.1 (11)	8.0 (58)	1,400	4.6 (20)	2.1 (20)	13.4 (69)	637	19.3 (77)	18.2 (79)		999	7.1 (10)
Jasper	198	4.5 (2)	7.1 (48)	914	3.9 (4)	4.2 (75)	12.4 (52)	427	15.5 (23)	15.2 (48)		688	15.4 (66)
Jay	137	6.6 (15)	3.6 (6)	557	7.2 (75)	3.2 (48)	11.1 (25)	229	18.3 (66)	15.7 (54)		403	21.1 (85)
Jefferson	232	12.9 (69)	9.9 (68)	901	6.3 (55)	2.3 (22)	14.3 (80)	380	21.1 (84)	21.6 (89)		617	8.8 (18)
Jennings	252	6.7 (17)	6.3 (36)	1,210	7.2 (75)	4.5 (81)	12.0 (45)	594	19.2 (75)	14.1 (35)		916	18.3 (82)
Johnson	643	6.5 (13)	7.3 (49)	2,619	4.8 (23)	3.6 (60)	8.6 (2)	1,120	16.4 (33)	10.6 (7)		1,935	10.9 (33)
Knox	262	10.7 (62)	4.6 (13)	929	5.3 (30)	4.4 (79)	10.1 (13)	414	17.1 (47)	13.3 (24)		596	5.7 (7)
Kosciusko	404	9.2 (42)	5.9 (29)	1,682	5.4 (32)	2.8 (35)	13.3 (67)	776	19.3 (77)	17.5 (76)		1,229	7.6 (13)
LaGrange	136	8.1 (29)	2.9 (4)	648	6.2 (53)	1.4 (7)	11.4 (35)	321	18.7 (70)	18.1 (78)		459	8.9 (19)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 16
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lake	3,938	10.1 (58)	5.7 (27)	16,583	6.1 (49)	3.0 (43)	11.3 (29)	7,433	14.9 (17)	12.2 (14)		12,002	15.5 (67)
LaPorte	768	10.7 (62)	5.1 (18)	3,307	5.5 (34)	3.4 (54)	12.9 (63)	1,467	17.5 (54)	13.1 (22)		2,342	11.8 (41)
Lawrence	286	13.3 (71)	7.0 (46)	1,155	8.2 (85)	2.3 (22)	12.4 (52)	480	16.9 (43)	14.8 (42)		839	7.3 (11)
Madison	926	6.5 (13)	5.1 (18)	3,222	9.1 (89)	3.1 (45)	13.4 (69)	1,275	15.6 (24)	15.9 (56)		2,210	22.2 (86)
Marion	9,043	9.8 (54)	6.0 (31)	32,512	5.8 (40)	4.9 (83)	11.8 (37)	13,866	16.4 (33)	13.9 (31)		21,162	18.0 (81)
Marshall	310	5.5 (5)	8.7 (62)	1,389	5.9 (43)	1.4 (7)	15.6 (88)	618	21.5 (85)	16.3 (61)		1,026	5.7 (7)
Martin	52	* *	* *	256	3.9 (4)	0.4 (1)	10.9 (22)	110	16.4 (33)	13.6 (28)		191	2.1 (2)
Miami	216	5.6 (6)	10.2 (69)	961	4.7 (21)	2.3 (22)	10.0 (10)	458	14.2 (13)	11.6 (12)		710	9.9 (26)
Monroe	614	9.3 (43)	7.7 (57)	2,577	6.9 (70)	2.8 (35)	11.3 (29)	1,175	16.8 (42)	13.2 (23)		1,824	13.4 (53)
Montgomery	245	11.0 (65)	5.7 (27)	1,091	6.1 (49)	3.2 (48)	12.6 (58)	491	17.7 (57)	17.9 (77)		790	11.1 (36)
Morgan	397	9.6 (48)	6.8 (42)	1,535	6.9 (70)	2.5 (26)	12.4 (52)	640	21.7 (87)	16.1 (57)		1,090	18.7 (84)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 17
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Newton	59	* *	* *	265	3.4 (2)	4.9 (83)	13.2 (65)	118	11.9 (1)	11.9 (13)		208	16.3 (72)
Noble	267	6.7 (17)	6.0 (31)	1,043	6.4 (57)	3.8 (66)	13.9 (76)	490	13.9 (8)	15.1 (44)		699	14.9 (64)
Ohio	6	* *	* *	58	* *	* *	* *	37	* *	* *		47	* *
Orange	151	9.9 (56)	6.0 (31)	673	6.8 (66)	4.0 (69)	9.1 (5)	336	14.0 (9)	11.3 (10)		496	8.1 (16)
Owen	99	* *	* *	491	5.5 (34)	3.1 (45)	12.6 (58)	235	16.6 (38)	17.0 (73)		357	9.8 (25)
Parke	70	* *	* *	313	6.7 (63)	1.6 (11)	12.5 (56)	133	16.5 (36)	13.5 (26)		248	5.6 (5)
Perry	115	7.8 (27)	4.3 (10)	444	8.8 (88)	5.4 (86)	13.5 (73)	187	14.4 (15)	9.1 (1)		319	33.2 (91)
Pike	73	* *	* *	273	9.5 (91)	4.0 (69)	15.0 (86)	107	18.7 (70)	21.5 (88)		190	4.2 (3)
Porter	675	5.0 (4)	8.7 (62)	2,851	5.7 (38)	2.6 (29)	11.3 (29)	1,255	16.1 (30)	12.3 (15)		2,061	12.5 (43)
Posey	102	8.8 (39)	2.0 (1)	373	5.9 (43)	4.3 (76)	8.8 (4)	142	14.1 (12)	11.3 (10)		251	8.0 (14)
Pulaski	79	* *	* *	374	4.5 (16)	1.1 (3)	13.4 (69)	175	17.1 (47)	12.6 (16)		277	10.1 (27)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 18
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Putnam	246	7.3 (26)	11.0 (72)	974	5.6 (37)	5.5 (87)	15.1 (87)	427	21.8 (88)	19.4 (84)	661	8.0 (14)
Randolph	201	11.9 (67)	4.0 (8)	750	8.0 (83)	3.2 (48)	10.3 (16)	299	13.7 (6)	13.7 (29)	526	17.1 (77)
Ripley	184	8.7 (37)	4.3 (10)	827	4.4 (13)	4.6 (82)	11.9 (42)	366	14.8 (16)	15.3 (49)	617	13.0 (50)
Rush	95	* *	* *	374	4.5 (16)	6.1 (90)	10.4 (19)	170	18.8 (73)	15.3 (49)	257	13.2 (51)
Scott	205	10.7 (62)	2.0 (1)	948	5.7 (38)	4.3 (76)	12.2 (50)	447	15.7 (27)	15.4 (52)	694	12.8 (47)
Shelby	309	6.8 (20)	6.5 (39)	1,173	6.1 (49)	1.4 (7)	14.7 (84)	495	16.2 (31)	16.4 (64)	816	14.1 (60)
Spencer	91	* *	* *	368	7.6 (79)	1.1 (3)	14.1 (78)	162	17.3 (51)	21.0 (87)	276	9.1 (21)
St Joseph	1,867	10.3 (60)	5.9 (29)	7,343	4.3 (10)	3.7 (64)	10.3 (16)	3,336	14.0 (9)	10.6 (7)	5,007	13.4 (53)
Starke	180	6.1 (11)	10.6 (70)	835	5.0 (26)	1.6 (11)	14.3 (80)	414	18.8 (73)	16.2 (60)	666	13.8 (56)
Steuben	250	9.6 (48)	6.0 (31)	1,287	4.0 (7)	4.1 (71)	12.3 (51)	679	17.1 (47)	16.1 (57)	949	11.3 (39)
Sullivan	148	9.5 (46)	8.1 (59)	530	8.1 (84)	1.9 (16)	14.9 (85)	215	16.7 (41)	18.6 (83)	371	10.5 (31)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 19
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Switzerlan	39	* *	* *	187	4.3 (10)	4.3 (76)	14.4 (83)		82	* *	* *	134	12.7 (46)
Tippecanoe	1,198	7.0 (25)	8.2 (60)	5,017	4.5 (16)	2.9 (38)	12.1 (46)		2,260	16.9 (43)	14.0 (32)	3,557	12.5 (43)
Tipton	63	* *	* *	269	4.1 (8)	5.6 (88)	8.2 (1)		143	14.0 (9)	10.5 (6)	201	7.5 (12)
Union	46	* *	* *	205	4.4 (13)	4.4 (79)	9.8 (7)		106	24.5 (90)	15.1 (44)	143	17.5 (79)
Vanderburg	1,097	9.8 (54)	5.1 (18)	4,064	6.4 (57)	2.7 (32)	10.9 (22)		1,583	17.4 (52)	14.5 (39)	2,792	8.6 (17)
Vermillion	93	* *	* *	407	6.6 (60)	3.4 (54)	9.8 (7)		178	18.5 (69)	14.0 (32)	307	11.1 (36)
Vigo	744	6.0 (10)	8.2 (60)	2,631	6.0 (47)	2.9 (38)	12.5 (56)		1,033	17.6 (55)	16.3 (61)	1,856	11.2 (38)
Wabash	185	9.7 (52)	5.4 (24)	960	5.4 (32)	2.5 (26)	10.3 (16)		481	12.9 (3)	10.4 (5)	717	5.6 (5)
Warren	55	* *	* *	256	3.9 (4)	3.5 (57)	10.2 (14)		128	19.5 (80)	13.3 (24)	189	14.3 (61)
Warrick	259	6.6 (15)	7.3 (49)	1,009	6.6 (60)	3.7 (64)	10.7 (21)		407	13.5 (5)	12.8 (18)	699	15.0 (65)
Washington	152	8.6 (36)	3.9 (7)	768	7.2 (75)	3.5 (57)	11.8 (37)		360	19.2 (75)	14.7 (40)	569	10.4 (29)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 20
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Wayne	548	9.1 (41)	6.4 (38)	2,283	6.3 (55)	3.1 (45)	12.4 (52)		989	16.6 (38)	15.3 (49)	1,616	16.1 (70)
Wells	125	14.4 (72)	2.4 (3)	587	6.0 (47)	2.6 (29)	11.8 (37)		267	18.7 (70)	12.7 (17)	439	16.4 (73)
White	195	6.7 (17)	4.1 (9)	899	4.1 (8)	2.7 (32)	10.9 (22)		408	15.9 (28)	10.3 (4)	673	16.6 (74)
Whitley	178	9.6 (48)	4.5 (12)	806	7.7 (81)	4.1 (71)	11.9 (42)		374	18.4 (68)	16.6 (68)	603	13.9 (58)
Indiana	43,579	8.9	6.3	176,939	5.9	3.4	11.9		78,634	16.6	14.2	124,826	14.4
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0		3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 21
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household		
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Adams	196	75.5 (8)	86	* *	132	8.3 (30)	74	* *	86	* *	385	67.0 (78)	774	38.4 (32)
Allen	2,657	62.7 (46)	1,296	20.9 (16)	2,098	8.2 (31)	932	13.1 (26)	1,296	8.0 (30)	5,421	74.7 (45)	11,096	32.8 (28)
Bartholome	517	68.7 (23)	240	16.3 (32)	333	5.7 (53)	163	19.0 (8)	240	10.8 (14)	869	87.2 (7)	1,932	46.1 (51)
Benton	34	* *	25	* *	37	* *	15	* *	25	* *	138	68.8 (71)	228	39.9 (36)
Blackford	84	* *	48	* *	77	* *	41	* *	48	* *	218	70.2 (65)	405	52.8 (71)
Boone	177	62.1 (49)	102	26.5 (8)	155	12.9 (5)	74	* *	102	7.8 (31)	346	72.3 (60)	753	46.1 (51)
Brown	61	* *	31	* *	53	* *	24	* *	31	* *	154	83.8 (13)	294	48.0 (57)
Carroll	73	* *	35	* *	74	* *	29	* *	35	* *	204	86.8 (9)	369	14.9 (7)
Cass	340	54.1 (65)	194	16.0 (33)	272	5.9 (52)	138	4.3 (32)	194	2.6 (51)	891	64.9 (81)	1,604	14.4 (6)
Clark	658	68.5 (25)	323	24.8 (11)	521	11.5 (13)	214	20.6 (5)	323	13.0 (8)	1,321	72.6 (58)	2,823	38.9 (34)
Clay	219	66.2 (36)	106	16.0 (33)	165	6.7 (47)	70	* *	106	9.4 (24)	545	75.0 (44)	999	51.6 (68)
Clinton	277	67.1 (31)	172	15.7 (37)	237	7.6 (38)	132	9.8 (29)	172	4.1 (47)	674	67.2 (77)	1,279	8.8 (3)
Crawford	56	* *	28	* *	60	* *	16	* *	28	* *	127	80.3 (23)	263	55.5 (80)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 22
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Daviess	171	57.3 (60)	72	* *	148	3.4 (65)	39	* *	72	* *
Dearborn	269	62.1 (49)	150	14.0 (45)	223	4.9 (59)	87	* *	150	7.3 (32)
Decatur	182	69.8 (19)	78	* *	129	3.9 (64)	66	* *	78	* *
DeKalb	292	81.8 (1)	141	20.6 (18)	227	7.9 (35)	92	* *	141	9.9 (19)
Delaware	814	64.0 (43)	324	19.8 (22)	520	9.4 (19)	221	14.0 (20)	324	2.8 (50)
Dubois	231	81.4 (2)	146	20.5 (19)	197	6.6 (48)	112	16.1 (11)	146	6.8 (36)
Elkhart	1,813	73.6 (10)	896	29.0 (5)	1,443	11.9 (9)	621	15.6 (14)	896	9.7 (20)
Fayette	220	53.2 (67)	86	* *	161	5.0 (58)	65	* *	86	* *
Floyd	400	66.0 (37)	191	24.1 (12)	292	9.2 (23)	156	20.5 (6)	191	8.4 (28)
Fountain	104	66.3 (35)	48	* *	88	* *	37	* *	48	* *
Franklin	97	* *	42	* *	71	* *	31	* *	42	* *
Fulton	160	66.9 (32)	68	* *	122	8.2 (31)	55	* *	68	* *
Gibson	173	60.1 (55)	98	* *	126	4.8 (60)	73	* *	98	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 23
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Grant	566	57.2 (61)	287	11.1 (48)	448	4.2 (63)	209	13.9 (22)	287	6.3 (42)	1,229	56.4 (87)	2,417	30.9 (24)
Greene	159	56.6 (62)	90	* *	112	7.1 (44)	69	* *	90	* *	332	96.4 (1)	663	39.2 (35)
Hamilton	645	74.3 (9)	339	31.3 (2)	502	12.5 (7)	273	22.3 (4)	339	13.3 (6)	1,302	85.2 (10)	2,728	16.8 (11)
Hancock	266	68.4 (26)	110	19.1 (25)	166	9.0 (24)	92	* *	110	10.9 (13)	445	73.9 (52)	966	10.7 (4)
Harrison	207	68.6 (24)	107	15.0 (39)	172	6.4 (49)	77	* *	107	6.5 (40)	488	80.7 (21)	925	47.1 (54)
Hendricks	454	72.5 (11)	147	26.5 (8)	262	8.8 (27)	124	29.8 (2)	147	16.3 (3)	655	82.3 (17)	1,524	38.5 (33)
Henry	314	67.5 (30)	143	16.8 (29)	259	7.3 (41)	105	18.1 (10)	143	11.9 (11)	666	67.9 (74)	1,318	53.7 (74)
Howard	718	55.8 (64)	350	11.1 (48)	516	5.2 (57)	238	13.9 (22)	350	5.7 (44)	1,477	73.7 (54)	2,955	36.0 (31)
Huntington	218	63.3 (44)	107	15.9 (35)	166	7.2 (42)	67	* *	107	13.1 (7)	443	75.4 (41)	917	49.8 (65)
Jackson	314	66.6 (33)	145	16.6 (30)	250	6.4 (49)	117	15.4 (15)	145	9.7 (20)	695	81.7 (19)	1,389	43.3 (43)
Jasper	199	59.8 (57)	127	19.7 (23)	161	9.3 (22)	83	* *	127	12.6 (9)	462	57.6 (86)	907	47.7 (56)
Jay	137	66.4 (34)	64	* *	102	11.8 (11)	45	* *	64	* *	248	55.6 (88)	544	43.2 (42)
Jefferson	234	64.5 (41)	103	21.4 (15)	148	13.5 (4)	76	* *	103	14.6 (4)	418	76.3 (34)	866	30.8 (23)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 24
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Jennings	252	59.9 (56)	129	9.3 (51)	229	4.4 (62)	80	* *	129	3.1 (49)
Johnson	644	69.1 (21)	352	25.6 (10)	480	8.1 (34)	260	15.0 (19)	352	9.7 (20)
Knox	263	44.9 (72)	81	* *	164	5.5 (54)	48	* *	81	* *
Kosciusko	405	62.7 (46)	206	21.8 (14)	322	9.9 (16)	149	18.8 (9)	206	10.2 (16)
LaGrange	137	71.5 (13)	58	* *	100	12.0 (8)	44	* *	58	* *
Lake	3,959	69.8 (19)	2,013	19.0 (27)	2,937	7.0 (45)	1,525	8.9 (30)	2,013	5.1 (46)
LaPorte	771	61.3 (52)	408	15.4 (38)	585	7.9 (35)	290	8.6 (31)	408	3.2 (48)
Lawrence	286	65.0 (39)	148	14.9 (40)	216	8.8 (27)	97	* *	148	8.8 (26)
Madison	928	52.2 (70)	366	20.5 (19)	566	9.4 (19)	264	14.0 (20)	366	8.5 (27)
Marion	9,097	62.4 (48)	3,385	27.5 (7)	6,199	11.9 (9)	2,343	12.4 (27)	3,385	6.9 (33)
Marshall	310	71.0 (15)	178	19.1 (25)	239	8.4 (29)	130	13.8 (24)	178	10.1 (17)
Martin	52	* *	35	* *	49	* *	23	* *	35	* *
Miami	218	61.9 (51)	113	15.9 (35)	167	3.0 (66)	76	* *	113	9.7 (20)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 25
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Monroe	615	76.9 (6)	343	30.3 (3)	403	22.3 (1)	262	30.5 (1)	343	19.0 (1)	1,252	87.9 (5)	2,519	15.9 (9)
Montgomery	245	65.7 (38)	130	14.6 (42)	218	6.0 (51)	98	* *	130	6.9 (33)	528	62.5 (84)	1,075	43.3 (43)
Morgan	397	68.3 (27)	171	16.4 (31)	253	9.5 (18)	132	15.9 (12)	171	8.2 (29)	679	64.2 (82)	1,472	58.2 (86)
Newton	59	* *	29	* *	48	* *	19	* *	29	* *	133	32.3 (90)	261	59.0 (89)
Noble	267	80.9 (3)	107	28.0 (6)	193	7.8 (37)	73	* *	107	12.1 (10)	519	66.9 (79)	1,071	24.3 (16)
Ohio	6	* *	5	* *	8	* *	1	* *	5	* *	37	* *	58	* *
Orange	151	68.2 (29)	80	* *	103	1.9 (68)	54	* *	80	* *	360	71.4 (63)	671	25.5 (19)
Owen	99	* *	71	* *	97	* *	42	* *	71	* *	249	77.1 (32)	495	50.9 (66)
Parke	71	* *	38	* *	68	* *	32	* *	38	* *	145	73.8 (53)	310	54.2 (75)
Perry	115	53.0 (68)	46	* *	65	* *	47	* *	46	* *	207	73.4 (55)	431	61.5 (91)
Pike	76	* *	26	* *	43	* *	26	* *	26	* *	113	74.3 (49)	257	59.1 (90)
Porter	678	71.1 (14)	370	18.9 (28)	467	9.0 (24)	279	15.1 (18)	370	10.0 (18)	1,350	69.1 (68)	2,759	25.2 (18)
Posey	104	52.9 (69)	55	* *	64	* *	43	* *	55	* *	152	76.3 (34)	360	52.8 (71)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 26
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Pulaski	79	* *	45	* *	65	* *	29	* *	45	* *	188	75.5 (40)
Putnam	246	64.6 (40)	91	* *	166	5.4 (55)	67	* *	91	* *	450	71.6 (61)
Randolph	202	57.4 (59)	81	* *	138	10.1 (15)	63	* *	81	* *	319	60.8 (85)
Ripley	185	61.1 (53)	111	14.4 (43)	149	7.4 (40)	62	* *	111	5.4 (45)	399	75.7 (39)
Rush	95	* *	44	* *	70	* *	28	* *	44	* *	182	83.0 (16)
Scott	207	56.5 (63)	96	* *	166	4.8 (60)	61	* *	96	* *	472	78.6 (27)
Shelby	312	62.8 (45)	153	20.9 (16)	198	11.6 (12)	119	20.2 (7)	153	11.8 (12)	531	63.1 (83)
Spencer	93	* *	59	* *	74	* *	53	* *	59	* *	182	80.8 (20)
St Joseph	1,871	70.8 (17)	748	30.3 (3)	1,267	12.6 (6)	553	15.2 (16)	748	9.1 (25)	3,568	77.4 (30)
Starke	180	68.3 (27)	116	14.7 (41)	147	8.2 (31)	77	* *	116	10.3 (15)	450	74.4 (46)
Steuben	254	77.6 (4)	126	23.0 (13)	195	9.7 (17)	78	* *	126	13.5 (5)	724	80.1 (24)
Sullivan	148	70.9 (16)	64	* *	73	* *	46	* *	64	* *	233	72.5 (59)
Switzerlan	39	* *	25	* *	36	* *	11	* *	25	* *	87	* *
											180	58.3 (87)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 27
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Tippecanoe	1,199	75.7 (7)	532	33.6 (1)	905	17.2 (2)	381	25.5 (3)	532	18.2 (2)	2,419	74.4 (46)	4,918	27.9 (20)
Tipton	64	* *	29	* *	42	* *	19	* *	29	* *	152	84.9 (11)	273	20.1 (13)
Union	46	* *	14	* *	30	* *	10	* *	14	* *	112	88.4 (3)	205	47.3 (55)
Vanderburg	1,099	53.9 (66)	505	12.9 (46)	771	5.3 (56)	352	13.6 (25)	505	6.9 (33)	1,702	68.6 (73)	3,912	10.9 (5)
Vermillion	93	* *	45	* *	87	* *	29	* *	45	* *	192	69.3 (67)	402	48.0 (57)
Vigo	760	60.7 (54)	301	10.0 (50)	487	6.8 (46)	212	9.9 (28)	301	6.0 (43)	1,096	71.6 (61)	2,585	49.6 (63)
Wabash	187	64.2 (42)	105	14.3 (44)	168	3.0 (66)	74	* *	105	6.7 (37)	520	69.8 (66)	948	17.8 (12)
Warren	55	* *	33	* *	50	* *	25	* *	33	* *	134	68.7 (72)	254	49.6 (63)
Warrick	268	50.7 (71)	136	11.8 (47)	170	7.6 (38)	112	15.2 (16)	136	6.6 (39)	449	75.3 (42)	983	45.7 (50)
Washington	152	72.4 (12)	89	* *	139	9.4 (19)	64	* *	89	* *	391	74.4 (46)	753	41.7 (40)
Wayne	549	59.2 (58)	312	19.6 (24)	483	7.2 (42)	196	15.8 (13)	312	6.7 (37)	1,063	83.3 (15)	2,266	41.0 (38)
Wells	126	70.6 (18)	79	* *	122	9.0 (24)	60	* *	79	* *	284	67.6 (75)	568	43.5 (45)
White	196	68.9 (22)	124	20.2 (21)	172	11.0 (14)	97	* *	124	6.5 (40)	441	81.9 (18)	876	16.6 (10)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 28
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)								
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)
Whitley	178	77.5 (5)	91 * *	132 14.4 (3)	75 * *	91 * *	405 84.0 (12)	794 43.5 (45)
Indiana	43,794	65.1	20,242 21.3	32,010 9.4	14,542 15.1	20,242 8.2	80,563 72.4	172,220 30.6
Nation (Prior Year)	1,769,160	61.7	911,779 27.0	1,092,573 18.5	317,037 9.9	420,655 5.3	1,022,933 77.3	4,355,723 10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 29
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	546	9.2 (57)	5.3 (24)	2,261	7.7 (81)	3.1 (49)	10.5 (13)		980	15.3 (18)	12.7 (20)	1,633	24.1 (89)
Allen	8,202	9.7 (71)	4.8 (16)	33,521	6.7 (62)	3.3 (59)	12.2 (47)		15,330	16.8 (44)	13.3 (26)	23,923	19.0 (82)
Bartholome	1,594	8.3 (39)	6.6 (51)	5,618	5.3 (23)	2.7 (28)	10.8 (22)		2,322	16.5 (36)	15.1 (47)	3,949	9.4 (20)
Benton	123	5.7 (3)	8.9 (86)	642	4.0 (2)	1.1 (1)	13.1 (64)		337	20.8 (87)	19.0 (88)	471	15.3 (60)
Blackford	265	7.9 (28)	3.8 (5)	1,160	5.9 (31)	3.6 (67)	9.1 (2)		524	14.3 (8)	10.9 (2)	861	9.5 (21)
Boone	599	10.2 (82)	6.0 (42)	2,202	6.5 (53)	4.0 (79)	10.8 (22)		909	14.3 (8)	13.4 (28)	1,444	15.7 (63)
Brown	205	6.3 (5)	8.3 (79)	884	6.4 (50)	2.3 (20)	12.3 (51)		387	16.3 (32)	15.8 (57)	633	2.8 (1)
Carroll	237	9.7 (71)	8.4 (81)	1,106	4.9 (15)	2.4 (23)	13.7 (74)		524	17.9 (58)	17.9 (82)	837	15.8 (65)
Cass	1,073	8.1 (34)	6.7 (52)	4,845	4.8 (11)	3.1 (49)	14.2 (82)		2,360	15.9 (26)	17.3 (72)	3,657	11.5 (38)
Clark	2,057	9.3 (59)	5.5 (30)	7,720	8.0 (86)	1.9 (9)	13.6 (71)		3,061	17.9 (58)	16.9 (69)	5,394	17.0 (72)
Clay	683	6.4 (6)	7.9 (72)	3,123	6.1 (40)	2.2 (15)	13.7 (74)		1,531	18.7 (70)	15.9 (59)	2,199	10.1 (25)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 30
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clinton	898	7.2 (17)	9.1 (88)	4,038	6.2 (44)	1.3 (4)	15.7 (89)	1,887	18.2 (65)	18.8 (87)	3,008	11.1 (31)
Crawford	190	8.4 (44)	3.7 (4)	806	7.9 (85)	2.9 (42)	10.8 (22)	342	16.7 (41)	14.3 (38)	587	11.8 (41)
Daviess	560	12.5 (91)	2.7 (1)	2,319	7.2 (78)	2.4 (23)	16.3 (91)	1,054	18.8 (72)	22.0 (91)	1,615	19.6 (84)
Dearborn	895	7.5 (22)	8.0 (75)	3,681	5.3 (23)	2.7 (28)	10.9 (26)	1,577	18.4 (67)	13.4 (28)	2,638	12.2 (43)
Decatur	574	7.5 (22)	5.6 (33)	2,506	4.8 (11)	2.0 (12)	13.2 (66)	1,152	19.6 (82)	17.4 (73)	1,839	6.1 (5)
DeKalb	704	6.5 (7)	8.5 (83)	2,345	6.5 (53)	3.2 (53)	13.7 (74)	990	22.2 (89)	16.9 (69)	1,516	11.1 (31)
Delaware	2,416	10.4 (84)	4.6 (14)	8,712	6.0 (37)	7.1 (92)	10.5 (13)	3,454	15.0 (15)	13.1 (25)	5,914	17.6 (76)
Dubois	719	7.8 (26)	6.5 (49)	2,870	5.9 (31)	3.2 (53)	11.0 (27)	1,183	15.6 (20)	15.8 (57)	2,096	8.9 (16)
Elkhart	5,708	8.1 (34)	7.7 (71)	23,929	5.0 (17)	1.8 (8)	12.4 (55)	10,833	17.9 (58)	16.1 (62)	17,249	6.6 (6)
Fayette	658	7.9 (28)	6.4 (47)	2,473	7.0 (70)	2.8 (34)	10.2 (11)	1,052	16.9 (45)	12.9 (21)	1,669	18.9 (80)
Floyd	1,243	11.4 (90)	4.7 (15)	5,118	8.7 (90)	2.0 (12)	15.3 (88)	2,139	18.3 (66)	17.8 (80)	3,580	12.5 (45)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 31
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators (3,4)											
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Fountain	340	7.4 (20)	7.1 (60)	1,392	5.0 (17)	2.2 (15)	11.1 (29)	632	18.8 (72)	15.2 (52)	978 11.1 (31)
Franklin	292	8.6 (48)	6.8 (57)	1,127	7.0 (70)	3.5 (64)	13.0 (63)	489	18.4 (67)	17.4 (73)	781 23.3 (88)
Fulton	534	9.0 (53)	5.1 (20)	2,055	4.6 (6)	4.0 (79)	12.7 (60)	881	16.5 (36)	18.5 (85)	1,443 15.7 (63)
Gibson	523	8.0 (33)	2.9 (2)	2,202	6.5 (53)	2.3 (20)	11.7 (38)	929	17.9 (58)	15.0 (46)	1,567 12.4 (44)
Grant	1,682	9.5 (64)	4.8 (16)	6,808	6.8 (65)	4.2 (85)	13.3 (68)	3,007	16.5 (36)	16.2 (64)	4,899 24.8 (91)
Greene	509	6.9 (11)	5.3 (24)	2,104	7.7 (81)	2.2 (15)	13.9 (80)	904	18.1 (62)	17.7 (79)	1,532 7.7 (12)
Hamilton	1,905	9.0 (53)	6.5 (49)	7,858	5.6 (27)	3.6 (67)	9.5 (5)	3,339	14.1 (3)	11.2 (3)	5,646 13.6 (55)
Hancock	822	7.9 (28)	7.2 (62)	2,997	8.6 (88)	1.6 (6)	13.6 (71)	1,140	18.1 (62)	14.3 (38)	2,067 13.7 (56)
Harrison	670	10.4 (84)	5.8 (38)	2,764	8.0 (86)	2.4 (23)	13.7 (74)	1,226	19.0 (76)	17.8 (80)	2,014 13.5 (54)
Hendricks	1,341	8.8 (50)	7.6 (69)	4,334	6.7 (62)	4.1 (83)	10.7 (19)	1,594	17.4 (51)	13.4 (28)	2,723 16.9 (71)
Henry	999	9.4 (60)	7.5 (65)	3,984	4.8 (11)	3.9 (75)	8.7 (1)	1,775	15.7 (22)	11.7 (9)	2,943 10.9 (30)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 32
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Howard	2,031	9.0 (53)	5.4 (28)	8,399	7.0 (70)	3.1 (49)	12.6 (57)	3,718	19.1 (77)	14.8 (44)	6,191	24.1 (89)	
Huntington	698	8.3 (39)	5.3 (24)	2,817	6.2 (44)	3.2 (53)	9.8 (7)	1,185	14.1 (3)	12.2 (13)	2,050	10.5 (27)	
Jackson	1,002	6.7 (10)	5.9 (39)	4,060	6.0 (37)	1.9 (9)	12.6 (57)	1,715	20.6 (86)	18.5 (85)	2,915	8.1 (14)	
Jasper	639	8.5 (45)	7.5 (65)	2,802	5.2 (22)	4.6 (86)	12.3 (51)	1,286	15.7 (22)	14.5 (41)	2,102	17.3 (73)	
Jay	432	9.7 (71)	4.2 (9)	1,602	6.9 (68)	2.8 (34)	12.2 (47)	617	17.2 (50)	18.2 (84)	1,104	17.6 (76)	
Jefferson	709	10.2 (82)	8.2 (77)	2,706	6.9 (68)	2.7 (28)	13.9 (80)	1,109	22.3 (90)	20.6 (90)	1,867	9.9 (24)	
Jennings	787	7.9 (28)	7.9 (72)	3,573	7.0 (70)	3.5 (64)	12.2 (47)	1,750	16.3 (32)	12.6 (18)	2,703	19.9 (85)	
Johnson	2,052	7.5 (22)	7.4 (64)	7,666	4.6 (6)	3.6 (67)	9.2 (3)	3,120	16.1 (30)	11.8 (10)	5,511	11.5 (38)	
Knox	780	10.4 (84)	4.9 (18)	2,880	6.6 (60)	3.9 (75)	10.4 (12)	1,278	16.7 (41)	13.8 (31)	1,847	5.8 (4)	
Kosciusko	1,217	9.4 (60)	6.7 (52)	4,697	6.4 (50)	2.2 (15)	13.4 (69)	1,999	19.1 (77)	17.5 (76)	3,279	9.3 (19)	
LaGrange	398	9.0 (53)	5.0 (19)	1,863	6.0 (37)	1.6 (6)	10.6 (17)	870	19.3 (81)	15.1 (47)	1,347	9.7 (22)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 33
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lake	12,347	10.5 (87)	5.4 (28)	49,608	5.9 (31)	3.3 (59)	11.2 (32)	21,769	14.5 (11)	12.0 (12)	35,702	16.5 (69)
LaPorte	2,481	11.0 (89)	5.3 (24)	9,768	6.6 (60)	2.9 (42)	13.8 (78)	4,170	17.5 (53)	14.1 (35)	6,807	12.0 (42)
Lawrence	907	9.7 (71)	5.5 (30)	3,426	7.2 (78)	2.2 (15)	11.9 (41)	1,387	17.4 (51)	14.1 (35)	2,415	8.9 (16)
Madison	2,784	8.3 (39)	5.6 (33)	9,749	8.6 (88)	2.7 (28)	12.6 (57)	3,874	16.7 (41)	14.0 (33)	6,722	20.9 (87)
Marion	27,493	10.0 (79)	6.0 (42)	91,678	6.3 (47)	4.8 (87)	12.2 (47)	36,182	16.4 (35)	14.3 (38)	57,550	17.7 (78)
Marshall	996	7.1 (16)	8.3 (79)	4,096	6.4 (50)	1.1 (1)	16.2 (90)	1,787	19.9 (84)	17.5 (76)	2,992	6.6 (6)
Martin	184	6.5 (7)	6.0 (42)	771	5.3 (23)	1.2 (3)	11.4 (34)	322	14.9 (14)	11.5 (7)	561	4.5 (2)
Miami	697	8.8 (50)	8.2 (77)	2,980	5.4 (26)	2.5 (27)	10.6 (17)	1,399	14.4 (10)	12.4 (17)	2,172	13.0 (49)
Monroe	1,860	8.3 (39)	8.0 (75)	7,737	5.9 (31)	2.8 (34)	12.1 (45)	3,391	17.8 (55)	15.1 (47)	5,460	13.0 (49)
Montgomery	802	9.7 (71)	7.5 (65)	3,222	6.3 (47)	2.9 (42)	12.4 (55)	1,411	19.1 (77)	17.4 (73)	2,282	13.1 (51)
Morgan	1,227	8.2 (37)	5.1 (20)	4,554	6.7 (62)	2.4 (23)	13.1 (64)	1,822	19.6 (82)	15.6 (55)	3,203	18.9 (80)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 34
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight								Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Newton	179	5.6 (2)	6.7 (52)	757	7.1 (76)	5.4 (89)	14.7 (86)	330	12.1 (1)	13.0 (23)		563	18.7 (79)
Noble	939	8.3 (39)	7.1 (60)	3,523	7.2 (78)	3.2 (53)	14.3 (84)	1,462	17.0 (46)	16.2 (64)		2,386	14.4 (57)
Ohio	23	* *	* *	151	2.6 (1)	5.3 (88)	13.2 (66)	87	* *	* *		115	11.3 (35)
Orange	458	10.0 (79)	5.7 (37)	2,054	6.8 (65)	3.0 (46)	10.7 (19)	995	16.3 (32)	12.2 (13)		1,520	8.1 (14)
Owen	345	7.0 (12)	8.7 (85)	1,486	5.9 (31)	3.4 (63)	12.9 (62)	654	17.0 (46)	17.0 (71)		1,091	8.9 (16)
Parke	244	6.6 (9)	4.5 (13)	1,015	6.5 (53)	2.8 (34)	12.1 (45)	420	15.0 (15)	12.6 (18)		755	9.7 (22)
Perry	348	9.8 (76)	4.0 (7)	1,293	18.1 (92)	4.0 (79)	24.7 (92)	544	13.1 (2)	10.1 (1)		892	24.8 (91)
Pike	213	9.4 (60)	8.5 (83)	768	11.6 (91)	2.7 (28)	14.6 (85)	288	20.5 (85)	19.4 (89)		528	4.7 (3)
Porter	2,131	7.2 (17)	8.4 (81)	8,348	5.7 (28)	2.7 (28)	11.3 (33)	3,419	15.6 (20)	12.3 (15)		5,959	11.3 (35)
Posey	285	9.5 (64)	3.9 (6)	1,097	5.8 (29)	3.9 (75)	10.0 (9)	422	14.5 (11)	11.8 (10)		760	7.8 (13)
Pulaski	273	8.1 (34)	5.9 (39)	1,157	5.1 (21)	3.3 (59)	11.8 (39)	525	14.1 (3)	13.9 (32)		860	11.2 (34)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 35
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Putnam	720	7.5 (22)	10.0 (90)	2,892	5.9 (31)	3.7 (72)	13.6 (71)	1,242	19.1 (77)	16.8 (67)	2,022	7.1 (10)
Randolph	554	10.1 (81)	5.6 (33)	1,964	6.5 (53)	3.1 (49)	9.3 (4)	726	14.2 (7)	11.2 (3)	1,358	17.5 (75)
Ripley	591	8.6 (48)	5.9 (39)	2,521	4.8 (11)	3.3 (59)	12.3 (51)	1,090	16.0 (29)	15.5 (54)	1,828	17.3 (73)
Rush	285	9.5 (64)	5.6 (33)	1,141	5.0 (17)	5.5 (90)	10.7 (19)	494	15.8 (24)	15.6 (55)	788	13.2 (52)
Scott	635	9.4 (60)	3.3 (3)	2,821	5.8 (29)	3.5 (64)	11.4 (34)	1,289	15.8 (24)	15.1 (47)	2,039	12.8 (47)
Shelby	878	7.2 (17)	7.9 (72)	3,298	6.1 (40)	1.9 (9)	14.7 (86)	1,346	15.9 (26)	18.0 (83)	2,278	13.4 (53)
Spencer	294	8.2 (37)	4.1 (8)	1,130	7.0 (70)	1.5 (5)	13.5 (70)	491	18.9 (74)	17.5 (76)	833	7.0 (9)
St Joseph	5,725	9.6 (69)	6.8 (57)	22,039	4.9 (15)	3.6 (67)	10.5 (13)	9,663	14.5 (11)	11.2 (3)	14,872	15.0 (58)
Starke	574	7.0 (12)	9.1 (88)	2,466	5.0 (17)	2.0 (12)	14.2 (82)	1,131	18.6 (69)	16.0 (61)	1,926	15.6 (62)
Steuben	787	8.5 (45)	6.7 (52)	3,941	4.6 (6)	3.8 (73)	11.5 (36)	2,008	18.1 (62)	15.2 (52)	2,916	10.7 (29)
Sullivan	424	6.1 (4)	6.4 (47)	1,623	7.0 (70)	3.0 (46)	12.8 (61)	697	18.9 (74)	16.1 (62)	1,136	12.5 (45)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 36
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)			
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)				
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Switzerlan	135	4.4 (1)	4.4 (12)		584	4.5 (4)	5.5 (90)	10.8 (22)		265	16.2 (31)	14.0 (33)		423	11.3 (35)
Tippecanoe	3,682	7.4 (20)	9.0 (87)		15,071	4.7 (9)	3.2 (53)	12.3 (51)		6,675	17.0 (46)	14.7 (43)		10,850	15.2 (59)
Tipton	188	9.6 (69)	4.3 (11)		816	6.1 (40)	3.9 (75)	10.5 (13)		384	14.1 (3)	13.3 (26)		618	6.6 (6)
Union	129	7.0 (12)	10.1 (91)		588	4.4 (3)	3.6 (67)	10.0 (9)		273	23.4 (91)	11.4 (6)		434	19.1 (83)
Vanderburg	3,443	10.8 (88)	5.5 (30)		12,379	6.5 (53)	2.8 (34)	11.0 (27)		4,773	16.6 (40)	14.1 (35)		8,485	10.2 (26)
Vermillion	292	9.9 (78)	7.5 (65)		1,199	7.7 (81)	2.9 (42)	12.0 (42)		518	17.8 (55)	16.8 (67)		865	16.5 (69)
Vigo	2,265	7.9 (28)	6.9 (59)		7,883	6.3 (47)	2.8 (34)	11.8 (39)		3,027	17.0 (46)	15.9 (59)		5,381	11.5 (38)
Wabash	633	8.8 (50)	5.2 (23)		2,778	6.5 (53)	2.3 (20)	11.1 (29)		1,296	15.2 (17)	13.0 (23)		2,019	7.2 (11)
Warren	158	7.0 (12)	7.6 (69)		751	4.7 (9)	4.1 (83)	9.7 (6)		364	20.9 (88)	12.9 (21)		543	16.0 (66)
Warrick	729	9.5 (64)	6.7 (52)		2,829	7.8 (84)	3.8 (73)	13.8 (78)		1,197	15.4 (19)	14.6 (42)		1,976	12.8 (47)
Washington	505	9.5 (64)	4.2 (9)		2,273	6.8 (65)	3.2 (53)	11.5 (36)		1,034	17.8 (55)	15.1 (47)		1,653	10.6 (28)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 37
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Wayne	1,660	8.5 (45)	6.1 (45)	6,512	6.1 (40)	3.0 (46)	12.0 (42)	2,755	17.5 (53)	14.8 (44)		4,502	15.5 (61)
Wells	413	9.2 (57)	5.1 (20)	1,690	6.2 (44)	2.8 (34)	9.8 (7)	738	15.9 (26)	11.5 (7)		1,239	16.2 (67)
White	577	7.8 (26)	7.3 (63)	2,439	4.5 (4)	2.8 (34)	11.1 (29)	1,082	16.5 (36)	12.3 (15)		1,830	20.2 (86)
Whitley	604	9.8 (76)	6.3 (46)	2,495	7.1 (76)	4.0 (79)	12.0 (42)	1,095	18.7 (70)	16.5 (66)		1,835	16.3 (68)
Indiana	134,607	9.2	6.2	517,930	6.2	3.3	12.0	220,804	16.7	14.3		360,165	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 38
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Adams	603	75.1 (2)	411	21.4 (19)	425	8.9 (36)	396	17.2 (15)	403	10.4 (12)
Allen	8,906	59.0 (58)	6,185	18.6 (30)	6,847	9.2 (31)	5,826	10.8 (55)	6,082	7.5 (41)
Bartholome	1,789	66.9 (27)	1,183	16.7 (42)	1,192	7.9 (44)	1,111	13.7 (32)	1,174	8.4 (31)
Benton	143	58.7 (61)	107	15.9 (48)	125	9.6 (26)	94	* *	104	8.7 (27)
Blackford	283	67.1 (25)	226	12.4 (68)	244	4.9 (79)	212	12.7 (46)	226	7.5 (41)
Boone	681	58.9 (59)	445	20.7 (21)	475	10.7 (19)	443	12.6 (48)	442	7.9 (36)
Brown	235	74.5 (4)	181	27.6 (4)	180	16.1 (3)	162	22.8 (4)	179	8.9 (22)
Carroll	261	67.8 (22)	201	24.9 (10)	221	12.2 (9)	181	17.7 (13)	198	9.6 (19)
Cass	1,176	58.8 (60)	876	16.7 (42)	957	9.4 (29)	821	7.8 (82)	870	4.5 (81)
Clark	2,375	65.8 (31)	1,579	21.7 (17)	1,669	11.0 (18)	1,539	15.1 (24)	1,566	10.0 (14)
Clay	726	60.5 (51)	533	14.4 (55)	581	7.7 (47)	498	9.2 (73)	530	6.8 (52)
Clinton	988	71.4 (11)	769	17.2 (37)	813	8.9 (36)	704	9.2 (73)	766	4.8 (77)
Crawford	212	62.7 (42)	184	17.4 (35)	191	9.4 (29)	156	16.7 (17)	182	9.9 (15)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 39
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Daviess	636	54.6 (74)	438	11.4 (76)	496	4.8 (85)	416	4.8 (88)	436	3.7 (87)	1,141	69.9 (72)	1,326	34.7 (28)
Dearborn	994	54.4 (75)	708	10.7 (83)	752	4.8 (85)	655	10.2 (64)	703	5.7 (64)	1,678	81.5 (12)	2,110	53.4 (80)
Decatur	628	60.5 (51)	428	11.9 (70)	479	4.4 (87)	404	10.6 (57)	419	5.3 (72)	1,239	77.9 (24)	1,383	55.8 (84)
DeKalb	838	69.9 (14)	497	18.3 (31)	517	7.2 (54)	494	14.2 (28)	493	9.7 (18)	1,061	75.2 (35)	1,428	54.6 (83)
Delaware	2,581	60.2 (53)	1,625	15.6 (50)	1,713	7.4 (49)	1,516	13.1 (39)	1,594	6.7 (55)	3,441	74.3 (44)	4,772	28.4 (18)
Dubois	813	74.5 (4)	610	25.9 (8)	617	11.7 (13)	567	14.5 (26)	603	6.3 (59)	1,293	75.8 (33)	1,620	37.2 (32)
Elkhart	6,343	72.3 (7)	4,389	28.3 (3)	4,813	12.9 (6)	4,089	13.2 (36)	4,316	7.3 (44)	11,673	74.1 (47)	13,106	13.9 (2)
Fayette	713	58.3 (62)	459	15.0 (51)	510	6.9 (58)	439	8.4 (80)	458	4.6 (80)	1,127	75.0 (37)	1,416	50.4 (71)
Floyd	1,427	63.3 (40)	1,003	16.7 (42)	1,055	8.5 (40)	935	12.8 (44)	986	6.8 (52)	2,270	73.7 (49)	2,980	45.9 (54)
Fountain	379	58.3 (62)	265	17.0 (39)	286	11.2 (15)	245	7.3 (87)	262	5.7 (64)	689	76.3 (29)	815	48.0 (62)
Franklin	315	55.2 (71)	227	11.0 (81)	243	7.8 (46)	188	8.5 (79)	224	3.6 (88)	526	82.3 (8)	684	51.8 (75)
Fulton	586	60.6 (50)	383	14.6 (52)	419	7.4 (49)	364	12.4 (51)	377	6.6 (56)	927	71.7 (63)	1,149	20.9 (8)
Gibson	615	48.9 (87)	453	11.3 (79)	438	4.1 (91)	414	11.4 (53)	446	7.2 (45)	996	74.2 (46)	1,292	46.1 (55)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 40
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Grant	1,820	52.4 (82)	1,345	11.1 (80)	1,427	5.2 (78)	1,242	9.8 (68)	1,340	5.5 (71)	3,290	62.3 (84)	3,724	35.4 (30)
Greene	560	57.7 (65)	406	8.6 (90)	425	5.6 (72)	388	10.3 (61)	404	4.7 (79)	844	94.1 (1)	1,089	38.9 (39)
Hamilton	2,288	71.7 (10)	1,584	27.4 (5)	1,656	12.5 (8)	1,510	19.3 (7)	1,568	12.0 (6)	3,561	81.6 (10)	4,670	25.7 (14)
Hancock	933	65.8 (31)	581	21.9 (16)	641	9.5 (28)	559	20.8 (6)	577	12.0 (6)	1,236	73.5 (51)	1,809	24.9 (13)
Harrison	737	68.5 (17)	522	15.7 (49)	567	7.1 (56)	502	17.9 (11)	520	9.2 (21)	1,318	75.8 (33)	1,570	47.5 (59)
Hendricks	1,500	67.8 (22)	846	22.8 (13)	884	10.6 (20)	829	18.6 (10)	830	11.7 (8)	1,716	81.8 (9)	2,691	37.3 (34)
Henry	1,085	67.8 (22)	756	16.9 (40)	808	7.1 (56)	713	15.3 (23)	752	10.1 (13)	1,907	67.0 (79)	2,217	51.2 (73)
Howard	2,267	54.3 (77)	1,643	13.2 (63)	1,752	6.2 (63)	1,513	12.5 (50)	1,634	8.4 (31)	4,032	72.2 (59)	4,653	29.6 (19)
Huntington	786	61.3 (45)	545	13.6 (60)	586	6.5 (60)	526	12.7 (46)	543	8.5 (29)	1,278	70.8 (68)	1,583	34.4 (27)
Jackson	1,109	64.6 (36)	800	16.5 (46)	862	6.8 (59)	759	10.8 (55)	797	6.9 (49)	1,869	78.7 (22)	2,188	44.1 (48)
Jasper	718	65.7 (33)	536	17.5 (34)	567	8.5 (40)	493	18.9 (9)	529	11.0 (9)	1,394	60.8 (86)	1,606	39.7 (43)
Jay	483	67.9 (21)	326	17.2 (37)	334	8.7 (38)	295	14.9 (25)	320	7.8 (38)	668	65.9 (82)	929	41.9 (45)
Jefferson	778	64.5 (37)	503	18.9 (28)	520	10.4 (23)	489	16.4 (19)	495	9.3 (20)	1,216	76.2 (30)	1,557	30.4 (22)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 41
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jennings	863	57.4 (66)	620	11.6 (73)	703	4.4 (87)	581	10.5 (60)	619	5.7 (64)	1,888	79.2 (20)	1,916	50.2 (70)
Johnson	2,279	66.8 (28)	1,624	20.7 (21)	1,586	10.5 (21)	1,502	14.5 (26)	1,606	7.7 (39)	3,240	72.4 (57)	4,554	27.0 (16)
Knox	861	45.9 (91)	519	11.4 (76)	604	6.0 (67)	489	9.6 (70)	515	5.0 (74)	1,356	79.6 (18)	1,744	37.7 (36)
Kosciusko	1,396	66.7 (29)	951	26.2 (7)	1,031	11.8 (11)	914	13.0 (41)	942	7.9 (36)	2,138	72.5 (56)	2,731	37.3 (34)
LaGrange	475	68.4 (18)	339	22.7 (14)	369	11.4 (14)	314	19.1 (8)	337	12.5 (5)	928	81.6 (10)	1,070	44.5 (49)
Lake	13,566	65.5 (34)	9,253	17.7 (33)	9,783	8.6 (39)	8,626	7.4 (85)	9,169	4.8 (77)	23,404	60.3 (88)	28,265	22.1 (10)
LaPorte	2,788	57.8 (64)	1,848	24.4 (11)	1,949	14.1 (4)	1,731	9.9 (67)	1,817	6.8 (52)	4,007	46.8 (90)	5,612	35.2 (29)
Lawrence	991	66.2 (30)	657	14.6 (52)	707	7.9 (44)	630	13.3 (35)	653	7.4 (43)	1,495	78.5 (23)	1,969	46.3 (56)
Madison	3,028	55.4 (69)	1,829	19.3 (27)	1,915	9.6 (26)	1,714	12.9 (43)	1,816	8.9 (22)	4,106	69.3 (73)	5,846	46.7 (57)
Marion	29,626	60.9 (47)	18,137	23.9 (12)	19,887	11.8 (11)	17,085	9.4 (72)	17,793	6.1 (60)	32,938	66.4 (81)	52,987	22.6 (11)
Marshall	1,124	69.0 (16)	820	20.0 (25)	829	10.5 (21)	763	13.9 (31)	811	8.9 (22)	1,927	71.7 (63)	2,331	8.8 (1)
Martin	204	54.4 (75)	162	12.3 (69)	163	7.4 (49)	149	8.7 (77)	160	5.6 (68)	347	93.7 (2)	409	31.3 (25)
Miami	749	60.9 (47)	540	14.4 (55)	571	5.8 (71)	505	15.8 (20)	539	9.8 (17)	1,503	72.0 (60)	1,619	45.5 (53)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 42
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Monroe	2,084	76.5 (1)	1,477	30.5 (1)	1,538	19.3 (1)	1,369	24.0 (2)	1,444	17.0 (1)	3,124	85.6 (3)	3,911	20.0 (6)
Montgomery	893	63.7 (39)	621	14.2 (57)	681	5.9 (69)	589	9.2 (73)	614	5.0 (74)	1,506	71.8 (62)	1,826	45.1 (52)
Morgan	1,375	61.6 (43)	888	13.2 (63)	918	6.2 (63)	822	13.7 (32)	883	7.1 (47)	1,939	73.3 (53)	2,713	57.3 (88)
Newton	213	61.0 (46)	157	21.7 (17)	163	5.5 (73)	144	23.6 (3)	155	14.2 (3)	362	46.4 (91)	437	50.1 (68)
Noble	994	68.2 (19)	682	20.2 (24)	769	9.0 (34)	635	13.2 (36)	674	8.5 (29)	1,570	70.1 (71)	2,086	30.6 (23)
Ohio	29	* *	23	* *	26	* *	21	* *	23	* *	87	* *	79	* *
Orange	493	71.8 (9)	338	14.5 (54)	398	5.5 (73)	310	10.3 (61)	335	3.9 (83)	1,058	71.6 (65)	1,120	31.1 (24)
Owen	385	64.9 (35)	289	20.4 (23)	305	12.8 (7)	266	15.8 (20)	284	8.8 (25)	711	77.8 (25)	832	50.1 (68)
Parke	258	54.7 (73)	207	9.2 (88)	221	5.9 (69)	188	8.0 (81)	205	3.9 (83)	450	73.6 (50)	565	55.8 (84)
Perry	392	46.9 (90)	231	9.1 (89)	230	4.3 (89)	246	7.7 (84)	231	3.9 (83)	594	68.9 (76)	784	58.5 (89)
Pike	239	51.0 (85)	144	13.9 (58)	153	9.2 (31)	141	12.8 (44)	138	2.9 (90)	309	60.5 (87)	452	60.2 (90)
Porter	2,437	69.1 (15)	1,684	19.4 (26)	1,715	9.7 (25)	1,590	15.5 (22)	1,663	8.1 (34)	3,677	76.1 (31)	4,807	29.8 (20)
Posey	317	53.3 (79)	222	10.8 (82)	223	4.9 (79)	212	11.3 (54)	219	5.9 (62)	458	72.7 (55)	629	52.6 (77)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 43
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Pulaski	289	55.4 (69)	214	12.6 (66)	221	8.1 (43)	198	13.1 (39)	213	8.0 (35)	568	73.4 (52)	609	36.3 (31)
Putnam	791	61.6 (43)	534	13.5 (61)	575	6.1 (66)	514	12.3 (52)	526	6.5 (57)	1,317	74.9 (38)	1,644	53.5 (82)
Randolph	627	59.2 (57)	374	21.4 (19)	405	11.1 (16)	360	17.5 (14)	364	11.0 (9)	779	69.3 (73)	1,135	39.3 (41)
Ripley	667	53.7 (78)	476	11.6 (73)	512	5.5 (73)	439	9.6 (70)	472	5.3 (72)	1,173	82.9 (6)	1,418	55.9 (86)
Rush	304	53.3 (79)	209	11.5 (75)	227	5.3 (76)	195	8.7 (77)	207	3.9 (83)	534	74.5 (41)	638	52.7 (78)
Scott	725	52.4 (82)	491	11.4 (76)	556	4.9 (79)	464	7.8 (82)	485	5.6 (68)	1,377	76.9 (27)	1,535	51.9 (76)
Shelby	990	59.5 (55)	642	16.8 (41)	647	8.5 (40)	601	14.0 (30)	638	8.2 (33)	1,453	66.6 (80)	1,895	48.3 (63)
Spencer	329	49.2 (86)	239	12.6 (66)	238	6.3 (61)	225	8.9 (76)	238	5.0 (74)	543	84.3 (5)	667	48.4 (65)
St Joseph	6,316	70.1 (13)	4,103	26.9 (6)	4,510	13.7 (5)	3,840	14.1 (29)	4,058	8.8 (25)	10,373	74.7 (39)	12,656	16.5 (3)
Starke	625	62.9 (41)	503	16.3 (47)	526	7.2 (54)	442	16.7 (17)	495	10.7 (11)	1,228	74.3 (44)	1,333	51.1 (72)
Steuben	875	74.1 (6)	670	18.2 (32)	756	7.4 (49)	598	13.7 (32)	665	6.9 (49)	2,164	78.8 (21)	2,098	51.2 (73)
Sullivan	453	67.1 (25)	273	10.6 (84)	283	4.9 (79)	260	10.0 (66)	272	4.4 (82)	739	59.4 (89)	948	42.7 (47)
Switzerlan	144	48.6 (89)	105	9.5 (86)	111	6.3 (61)	96	* *	104	7.7 (39)	282	82.6 (7)	331	62.2 (91)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 44
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Tippecanoe	4,046	74.9 (3)	2,804	29.4 (2)	3,107	16.9 (2)	2,614	22.5 (5)	2,753	16.8 (2)	7,169	74.5 (41)	8,262	26.4 (15)
Tipton	204	54.9 (72)	152	13.2 (63)	165	9.1 (33)	141	17.0 (16)	152	8.6 (28)	414	81.2 (13)	455	40.2 (44)
Union	150	60.7 (49)	98	* *	113	6.2 (63)	95	* *	98	* *	293	81.2 (13)	333	49.8 (67)
Vanderburg	3,815	48.9 (87)	2,423	10.0 (85)	2,581	5.3 (76)	2,271	10.3 (61)	2,408	5.6 (68)	5,136	62.3 (84)	7,308	18.1 (4)
Vermillion	322	51.2 (84)	238	11.8 (71)	264	4.9 (79)	218	10.1 (65)	237	7.2 (45)	554	67.5 (78)	670	53.4 (80)
Vigo	2,464	57.2 (67)	1,539	11.7 (72)	1,634	6.0 (67)	1,430	9.7 (69)	1,526	6.0 (61)	3,253	70.6 (69)	4,616	37.2 (32)
Wabash	685	59.3 (56)	526	13.3 (62)	567	4.9 (79)	492	10.6 (57)	522	5.9 (62)	1,401	70.3 (70)	1,466	27.3 (17)
Warren	177	55.9 (68)	129	9.3 (87)	138	4.3 (89)	121	7.4 (85)	129	3.1 (89)	390	73.8 (48)	407	53.3 (79)
Warrick	835	53.2 (81)	525	13.9 (58)	539	7.6 (48)	529	13.0 (41)	522	6.5 (57)	1,290	67.8 (77)	1,676	48.3 (63)
Washington	570	63.9 (38)	429	16.6 (45)	455	9.0 (34)	386	13.2 (36)	421	7.1 (47)	1,120	72.0 (60)	1,239	44.6 (50)
Wayne	1,872	59.7 (54)	1,335	17.4 (35)	1,405	9.8 (24)	1,223	10.6 (57)	1,325	5.7 (64)	2,952	76.0 (32)	3,689	42.6 (46)
Wells	453	70.6 (12)	318	18.9 (28)	352	7.4 (49)	309	17.8 (12)	313	9.9 (15)	787	71.5 (66)	919	34.1 (26)
White	638	68.2 (19)	483	22.2 (15)	488	11.1 (16)	452	12.6 (48)	475	6.9 (49)	1,188	80.6 (16)	1,297	21.0 (9)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 45
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Whitley	675	72.3 (7)	459 25.1 (9)	502 12.0 (10)	443 24.8 (1)	452 13.9 (4)	1,178 79.4 (19)	1,420	47.0 (58)
Indiana	148,410	63.0	99,311 19.8	106,601 9.8	93,179 12.1	98,063 7.5	229,543 70.5	293,975	30.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

